FORM EXPLANATION AND INFORMATION

PURPOSE/PROCEDURE:

- This form serves to identify the risks or hazards of a specific task on a Power project as well as the process for eliminating or controlling those hazards. The analysis of hazardous tasks on a jobsite will assist workers and management to understand the associated risks.
- This form is typically prepared by the competent person responsible for performing the tasks identified. The Job Hazard Analysis is required prior to the start of any hazardous task(s) for both UIS and subcontractors. This document is only a guideline and therefore not all-inclusive; a second page is available if more space is needed.
- JHA's are to be reviewed with employees as part of the training process.
- JHA's should be completed on <u>HammerTech</u> under the "JHAs" module.
- Any questions related to this procedure should be directed to UIS.

JOB HAZARD ANALYSIS

PROJECT #:	Project Name:	PREPARED BY:		
Date:	LOCATION:	ESTIMATED START DATE:		
DESCRIPTION OF WORK:				

ITEM NO.	Phase of Work	SAFETY HAZARD(S)	PRECAUTIONARY ACTION(S)
1)		•	•
2)		•	•
3)		•	•
4)		•	•

TRAINING / CERTIFICATIONS / PRE-REQUISITES:	
LESSONS LEARNED / PREVIOUS INCIDENTS:	
REVIEWED BY:	CREW INITIALS:

Each Subcontractor is solely responsible for monitoring and planning the work of its employees, subcontractors, agents, vendors, and suppliers to ensure compliance. This document is only a guideline and therefore not all-inclusive. Any specific additions or changes related to the Subcontractor's work are the sole responsibility of the Subcontractor.

JOB HAZARD ANALYSIS

ITEM NO.	Phase of Work	SAFETY HAZARD(S)	PRECAUTIONARY ACTION(S)
5)		•	•
6)		•	•
7)		•	•
/)		•	•
8)		•	•
9)		•	•
REVIEWED BY	:	CREW INITIALS:	

Each Subcontractor is solely responsible for monitoring and planning the work of its employees, subcontractors, agents, vendors, and suppliers to ensure compliance. This document is only a guideline and therefore not all-inclusive. Any specific additions or changes related to the Subcontractor's work are the sole responsibility of the Subcontractor.